



Consent Order

M.P. Pollution Control Board
E-5, Arera Colony
Paryavaran Parisar, Bhopal - 16 MP
Tele : 0755-2466191, Fax-0755-2463742

RED-SMALL

CCA- Validity
W/A : 30/06/2027
BMW : 30/06/2027
HoWM: 30/06/2027

CONSENT NO: ***

PCB ID: 113243

Outward No:116210,08/08/2022

Consent No:AWHB-56492

To,
The Occupier,
M/s. Indowater Management and Pollution Control Corporation (CBWTF),
Village - Badkhera, Tal : Uchehara,
Dist : Satna (MP) - 485001

Subject: Renewal of Consent to Operate under section 25 of the Water (Prevention & Control of Pollution) Act, 1974, under section 21 of the Air (Prevention & Control of Pollution) Act, 1981, Authorization under Bio-Medical Waste Management Rules, 2016 and Authorization under Hazardous and other Waste (Management & Transboundary Movement) Rules, 2016.

Ref: 1. Your Consent to Operate Application Receipt No. 1169437 Dt. 18/07/2022 and last communication received on Dt. 01/08/2022
2. The Consent No: B-55556 issued vide Outward No: 115128 dated 01/04/2022 and letter no 98 dated 11/07/2022.

The Board issued closure order due to violation observed under the Environment (Protection) Act, 1986 for the operation of the incinerator. The said closure order has been revoked vide this office letter no 98 dated 11/07/2022 after due verification of the compliances. In light of the above facts and with reference to your above application, the permission to operate the incinerator and the renewal of the consent to operate has been considered under the aforesaid Acts and existing rules therein. The M. P. Pollution Control Board agreed to grant Air/water consent, BMW Authorization and HOWM Authorization **up to 30/06/2027**, subject to the fulfillment of the terms & conditions incorporated in the Consent No:AWHB-53452 issued vide Outward No:112603 dated 28/04/2021 and as enclosed with this letter. The Consent No: B-55556 issued vide Outward No: 115128 dated 01/04/2022 will automatically be treated as cancelled after issuance of this order.

SUBJECT TO THE FOLLOWING CONDITIONS :-

- a. Location: Village - Badkhera, Tal : Uchehara, Dist : Satna (MP) - 485001
b. The capital investment : Rs. 1.20 Crore
c. Activity Capacity:

Activity	Equipment	CCA Capacity
Common Bio-Medical Waste Treatment Facility	INCINERATOR	100 Kg/hour
	AUTOCLAVE	350 Lts/hr.
	SHREDDER	250 & 40 Kg/hr.
Power generation through the DG Set (15+25 +43) KVA	--	83 KVA

Note:- 1. For any change in above CBWTF shall obtain fresh consent from the board.

2. This consent/Authorisation is granted to the CBWTF without prejudice to the proceeding pending against the unit in any of the court of Law. This consent is no way to taken as measure of proof that unit has not violated any pollution control laws at any time in the past. Hence, whatsoever may be the decision of Hon'ble Court shall be binding on the unit and to this Board.

The Validity of the consent and authorizations is **up to 30/06/2027** and has to be renewed before expiry of consent validity. Online application through XGN with annual license fees in this regard shall be submitted to this office 6 months before expiry of the consent/Authorization. Board reserves the right to amend/cancel / revoke the above condition in part or whole as and when required.

Enclosures:-

- * Conditions under Water Act
- * Conditions under Air Act
- * Conditions under Hazardous Rules
- * Conditions under BMW Rules

Digitally Signed with Aadhaar
(Organic Authentication on AADHAR from UIDAI Server)
TPAV # TFED1DN708

Signature Not Verified
Digitally Signed by : A. A
Mishra, Member Secretary
Date: 08/08/2022 08:00:23 PM

Achyut Anand Mishra

ACHYUT ANAND MISHRA
Member Secretary